Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

Establishment Name BOOMTOWN KITCHEN Address 114 E. MAIN ST, NEW ALBANY IN 47150	Telephone Number Est 812- 590-1314 Own 812-786-9430	Date of Inspection 05/18/2022	ID#	
Owner MICHELLE COLLINS	Purpose X Routine	Follow Up 06/08/2022	Released 05/18/2022	
Owner's Address 112 ALTRA DR CLARKSVILLE, IN 47129	Follow-up Complaint	Menu Type 1 2 3 _X 4 5		
Person in Charge JEN BARNES	Pre-Operational			
Responsible Person's Email	TemporaryHACCP			
Certified Food Handler JEN BARNES ANDREW COLLINS CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"	Other (list)			

VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
192	Х			Observed 2 sauces on prep line dated 4-28. Observed vegi butter in walk-in cooler dated 5-6.	Discarded
187	Χ			Observed baked potatos left in warmer overnight with the heat turned off.	discarded
295	Χ			Observed dried food debris in can opener and slicer.	today
415	Χ			Observed gnats in warewash area.	1 week
438	Χ			Observed 2 blue spray bottles without labels.	today
177		Χ		Observed tubs of ice cream stored on the floor of the walk-in freezer.	3 days
256		Χ		Observed baking thermometer in prep cooler instead of a ambient thermometer. Thermometers should be checked daily.	4 days
295		Χ		Observed buildup of grease in fumehood.	3 weeks
297		Х		Observed dried food debris in prep cooler under fumehood. Observed sticky spills in bar on counter and sliding doors of cooler. Observed ice cream debris on floor of walk-in freezer in basement.	1 day
290		Χ		Observed milkshake had been dumped in prep sink in warewash and left to dry. Sink had a spoiled milk odor.	1 day
324		Х		Observed dump sink in bar to be leaking from drain pipe. Observed warewash machine in kitchen leaking water on the floor from the front left side when ran.	1 week
399		Х		Observed flooring tiles had been removed in areas of the kitchen exposing textured tile adhesive. Observed floors in this area to no longer be smooth and easily cleanable. Floors should be repaired or covered with a new floor covering.	2 weeks
431		Х		Observed floors throughout kitchen, service area, warewash and back room in need of cleaning. Observed areas where flooring tiles had been removed to have dried grease. Observed dried grease on floors throughout. Observed dropped items and debris under equipment in kitchen. Observed dust and debris around walls and doorways and on window sill in creamery. Observed soda spill under soda syrup bags in basement.	1 week

Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

Establishment Name BOOMTOWN KITCHEN Address 114 E. MAIN ST, NEW ALBANY IN 47150		Telephone Number Est 812- 590-1314 Own 812-786-9430	Date of Inspection 05/18/2022	ID#						
Owner MICHELLE COLLINS Owner's Address		Purpose X Routine Follow-up	Follow Up 06/08/2022	Released 05/18/2022						
112 ALTRA DR CLARKSVILLE, IN 47129 Person in Charge JEN BARNES Responsible Person's Email Certified Food Handler JEN BARNES ANDREW COLLINS	5	Complaint Pre-Operational Temporary HACCP Other (list)	Menu Type 1 2 3 <u>X</u> 4 5							
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"										
Section # C NC R Narrative	To Be Corrected									
Summary of Violations C <u>5</u> NC _	8 R <u>0</u>	1								
Received by (name and title printed): MICHELLE COLLINS	Inspected by (name and title printed): Thomas Snider CFS									
Received by (signature):	Inspected by (signature):									
cc:	cc:		cc:							